

**ALFA**

VIEW

3-layer panel eco tec oak

3-layer panel Eco-Tec**ALFA Laubholzplatten**

<http://www.alfa-massiv.com> | info.alfa@team7.at

Type: Wood | 3-layer panel

Surface finishing both sides grit 150

3-layer hardwood panels are the best solution in terms of their structure and appearance when it comes to the natural, harmonious design of interiors. The 3-layer panel Eco-Tec has a solid top layer thickness of 4.8 mm including 0.6 mm surface veneer. In combination with the middle layer, this results in a total thickness of 20 mm. All panels are glued with formaldehyde-free D3 glue. The edges are sawn.

mtextur ID	106795
Manufacturer	ALFA Laubholzplatten
Manufacturer-Email	info.alfa@team7.at
Product Line	3-layer panel Eco-Tec
Product Line Info	3-layer hardwood panels are the best solution in terms of their structure and appearance when it comes to the natural, harmonious design of interiors. The 3-layer panel Eco-Tec has a solid top layer thickness of 4.8 mm including 0.6 mm surface veneer. In combination with the middle layer, this results in a total thickness of 20 mm. All panels are glued with formaldehyde-free D3 glue. The edges are sawn.
Material Name	3-layer panel eco tec oak
Type	Wood / 3-layer panel
Material Info	Surface finishing both sides grit 150
IFC	IfcCovering / IfcFurniture
Area of application (mtextur Classic)	Inside / Floor / Wall / Furniture
Delivery zones	CH / DE / AT / LI
Size of the CAD & BIM texture	Height: 2000.0 mm / Width: 2000.0 mm

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

max. Length / Format	Length = 3000 mm / Width = 1220 mm / Thickness = 20 mm
Quality	A/B
ISO	ISO 9001 ISO 14001 und EMAS ISO 50001 OHSAS 18001
Characteristics Info	<p>Die 3-Schichtplatte ECO TEC zeichnet sich durch eine Decklagenstärke von 4,8 mm aus. Der Plattenaufbau ergibt sich aus zwei 4,8 mm massiven Decklagen inkl. 0,6 mm Oberflächenurnier und einer 10,4 mm starken Mittellage. Die Oberfläche ist mit einer Körnung von 150 geschliffen und somit ideal für alle weiteren Bearbeitungen vorbereitet.</p> <p>Alle Platten werden mit einem formaldehydfreien D3-Leim verleimt. Die Kanten der Platten sind sägerau, wobei auch hier weitere Optionen zur Verfügung stehen.</p>

IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.